

PRODUCT-DETAILS

KS/K4.1

KS/K4.1 Cable Set, Basic



Ogólne informacje

Extended Product Type	KS/K4.1
ID Produktu	GHQ6301910R0001
Numer EAN	4016779517256
Opis katalogowy	KS/K4.1 Cable Set, Basic
Opis	For connection of sealed lead acid batteries SAK7, SAK12 and SAK17 to the uninterruptible EIB power supply SU/S 30.640.1. In case only one battery is connected, the Basic Cable Set KS/K 4.1 with integrated temperature sensor is to be used.

Charakterystyka zamówienia

Numer EAN	4016779517256
Kod taryfy celnej	85444290
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	405900105
E-Number (Finland)	2815285
E-Number (Sweden)	1750036

Wymiary

Głębokość produktu netto	15 mm
Wysokość produktu netto	15 mm
Szerokość produktu netto	200 mm

Waga produktu netto	0.152 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	bag 1 sztuka
EAN opakowania (poziom 1)	4016779517256
Długość opakowania (poziom 1)	20 mm
Wysokość opakowania (poziom 1)	270 mm
Szerokość opakowania (poziom 1)	180 mm
Waga opakowania brutto (poziom 1)	0.18 kg

Dane techniczne

Rodzaj montażu	Cable
----------------	-------

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CDC501004D0201 2CDC501019D0201
Instrukcje i podręczniki	2CDC501002D0203
Deklaracja zgodności - CE	2CDK501074D2701
Dane RoHS	2CDK501074D2701

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC000635 - Connection-/branching terminal for bus system
ETIM 6	EC000635 - Connection-/branching terminal for bus system
ETIM 7	EC000635 - Connection-/branching terminal for bus system
eClass	V11.0 : 27143105
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	39121432
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Power Supply → Battery Modules and Accessories

