

PRODUCT-DETAILS

TYHT27M

CABLE TIE 120LB 13IN OLV NYL HI TEM



General Information

Extended Product Type	TYHT27M
Product ID	7TAG009590R0015
EAN	5414363178422
Catalog Description	CABLE TIE 120LB 13IN OLV NYL HI TEM
Long Description	Extra High Temperature Cable Tie, Olive Polyamide (Nylon 4.6) for Temperatures up to 150 Degrees Celsius (302 F) for High Temperature Environments, Length of 340mm (13.4 Inches), Width of 6.86mm (0.27 Inch), Thickness of 1.6mm (0.063 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds)

Ordering

EAN	5414363178422
-----	---------------

Dimensions

Product Net Width	0.27 in 6.86 mm
Product Net Length	0, mm
Product Net Depth / Length	13.4 in 340 mm

Container Information

Package Level 1 Units	500 piece
-----------------------	-----------

Package Level 1 Width	1 in 25 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	20 in 508 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	12 in 305 mm
Package Level 2 Height	10 in 254 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.187 to 3.5 in 4.75 to 89 mm
Color	Olive
Effective Date	20050406
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 4.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Extra High Temperature
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 530 N
Thickness	0.063 in 1.6 mm
UPC	786210952727

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TYHT27M
Instructions and Manuals	TYHT27M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

