

PRODUCT-DETAILS

22L006

INSUL PIERCE SPLICE CU 16-12 AWG



General Information

Extended Product Type	22L006
Product ID	7TAI029010R0014
EAN	5414363077121
Catalog Description	INSUL PIERCE SPLICE CU 16-12 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length .44 Inches, Width .25 Inches, Height .22 Inches, Wire Range #16 AWG - #12 AWG 2,580 Circular Mil Area - 12,330 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363077121
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	4 in 102 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	9.5 in 241 mm
Package Level 2 Height	8 in 203 mm
Package Level 2 Depth / Length	8 in 203 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19740701
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL SPLICE
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210878096

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	22L006
Instructions and Manuals	22L006

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

