

PRODUCT-DETAILS

P9MSCZ5A01

SELECTOR SWITCH P9MSCZ5A01



General Information

Extended Product Type	P9MSCZ5A01
Product ID	1SFA193020R9006
EAN	7320500523681
Catalog Description	SELECTOR SWITCH P9MSCZ5A01
Long Description	KEY-OPERATED SELECTOR SWITCH 3-POS MAINTAINED/MOMENTARY

Ordering

E-Number (Finland)	2314945
EAN	7320500523681
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501990

Dimensions

Product Net Width	29.7 mm
Product Net Height	44.5 mm
Product Net Depth / Length	68.4 mm
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	41 mm
Package Level 1 Height	41 mm
Package Level 1 Depth / Length	113 mm
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	7320500518373

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Actuator Type	Key
Bezel Material	Satin Chrome Metal
Color	Black/Key=metal
Degree of Protection	Front IP66
Function	Maintained/Momentary
Illumination	Non-illuminated
Key Code	Key code 01
Key Removal Positions	Position A Only
Maintained Positions	A, B
Product Main Type	P9MSC
Product Name	Key Operated Selector Switch
Spring Return From	C to B
Sub-Function	3-position
Sub-Function 2	CAM Z

Certificates and Declarations (Document Number)

BV Certificate	2CMT2019-005867
CB Certificate	2CMT2019-005872
CSA Certificate	2CMT2019-005868
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2019-005862
DNV GL Certificate	2CMT2019-005876
Instructions and Manuals	1SFC151011M0201
RINA Certificate	2CMT2019-005866
RoHS Information	2CMT2019-005862
UL Certificate	2CMT2019-005868

Classifications

ETIM 7	EC000222 - Front element for selector switch
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371213

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

