

PRODUCT-DETAILS

25M8-A-45

LUG 45DEG 25MM2 M8 CL A 1HL CU WHT



General Information

Extended Product Type	25M8-A-45
Product ID	7TAA302030R0009
EAN	5415022197815
Catalog Description	LUG 45DEG 25MM2 M8 CL A 1HL CU WHT
Long Description	Metric Lug, Copper, Electro-Tin Plating Finish, Class A, Cable Size 25mm Squared, Bolt Size M8, 45 Degree, White, 1 Hole

Ordering

EAN	5415022197815
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	2.75 in 70 mm
Package Level 1 Height	2.25 in 57 mm
Package Level 1 Depth /	3.25 in

Length	83 mm
Package Level 2 Units	500 piece
Package Level 2 Width	6 in 152 mm
Package Level 2 Height	3.31 in 84 mm
Package Level 2 Depth / Length	12.18 in 309 mm

Additional Information

Brand / Label	Spec-Kon
Cable Size	25 mm ²
Color	White
Effective Date	20131204
Insulation Material	None
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Metric Standard Barrel - 45 Degree Bend
Stud Size	M8
UPC	786209805188
Voltage Rating	35 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	25M8-A-45
Declaration of Conformity - CE	9AKK107492A9834
Instructions and Manuals	25M8-A-45

Classifications

ETIM 6	EC001051 - Tube cable lug for copper conductors
ETIM 7	EC001051 - Tube cable lug for copper conductors
UNSPSC	39121405
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4532 >> Cable or wire lug

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

