

PRODUCT-DETAILS

220016

INSUL PRC BUTT SPLICE CU 10-6 AWG



General Information

Extended Product Type	220016
Product ID	7TAI029030R0009
EAN	5414363111849
Catalog Description	INSUL PRC BUTT SPLICE CU 10-6 AWG
Long Description	Insulation Piercing Magnet Wire Butt Splice, Length 3.13 Inches, Width .88 Inches, Height .77 Inches, Wire Range #10 AWG - #6 AWG 50,000 Circular Mil Area - 115,000 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363111849
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	4.4 in 112 mm
Package Level 1 Height	4.4 in 112 mm

Package Level 1 Depth / Length	6.3 in 160 mm
Package Level 2 Units	250 piece
Package Level 2 Width	12.7 in 323 mm
Package Level 2 Height	4.5 in 114 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19730905
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210855523

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	220016
Instructions and Manuals	220016

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

