

PRODUCT-DETAILS

BCM/S8.0.2.1

BCM/S8.0.2.1 BAC Module, 8 Digital Outputs, 230 V, 0.3 A



General Information

Extended Product Type	BCM/S8.0.2.1
Product ID	2CDG120066R0011
EAN	4016779064446
Catalog Description	BCM/S8.0.2.1 BAC Module, 8 Digital Outputs, 230 V, 0.3 A
Long Description	Extension module for the BAC/S Building Automation Controller KNX with 8 digital outputs. The digital triac outputs switch a maximum of 0.3 A at 120/240 V AC. Connection of the cables via pluggable spring terminals.

Ordering

EAN	4016779064446
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Finland)	2814622
E-Number (Sweden)	1739820

Dimensions

Product Net Depth / Length	74 mm
Product Net Height	135 mm
Product Net Width	34 mm
Product Net Weight	0.18 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779064446
Package Level 1 Depth / Length	50 mm
Package Level 1 Height	80 mm
Package Level 1 Width	150 mm
Package Level 1 Gross Weight	0.22 kg

Technical

Compatible Bus Systems	KNX (IP) Modbus Other KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail Surface Mounted

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A7505
Instructions and Manuals	9AKK107046A7505
Declaration of Conformity - CE	9AKK107046A7505
RoHS Information	NoDecNee

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Classifications

ETIM 5	EC001419 - PLC digital I/O-module
ETIM 6	EC001419 - PLC digital I/O-module
ETIM 7	EC001419 - PLC digital I/O-module
eClass	V11.0 : 27242204
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Heating, Ventilation and Air Conditioning → Central HVAC Controllers

