

PRODUCT-DETAILS

4/5VF20

4/5VF20 Fire prot. 2-leaf doof 30min



General Information

Extended Product Type	4/5VF20
Product ID	2CPX043401R9999
EAN	4011617434016
Catalog Description	4/5VF20 Fire prot. 2-leaf doof 30min
Long Description	Fire protection door, series VF, for the internal use, with closed doorframe and door, degree of protection IP54, fire resistance 30 min tested according to , Reduce fire load 30 min in line with , Maintain functionality 30 min in line with , surface-coated, in RAL 7035, enclosure out of non flammable material, double door, door out of non flammable material, with Swivel handle with half cylinder, door opening angle 150 degree, door hinge right and left, dimensions in mm (H x W x D): 1645 x 1295 x 51, Shutter frame dimensions in mm (H x W x D): 1645 x 1295 x 22, Grid unit 9 GU, Overall height 5, panel width 4, Space units 432

Ordering

EAN	4011617434016
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	1295 mm
Product Net Height	1645 mm
Product Net Depth / Length	51 mm

Product Net Weight	107 kg
--------------------	--------

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	1295.000 mm
Package Level 1 Height	51.000 mm
Package Level 1 Depth / Length	1645.000 mm
Package Level 1 Gross Weight	107 kg
Package Level 1 EAN	4011617434016

Additional Information

Color	light grey
Degree of Protection	IP54
DIN Place Units	432
Enclosure Type	Fire protection door
Enclosure Type of Height	5
Field Width	4
Material	Other
Product Main Type	VF
Product Name	4/5VF20 Fire prot. 2-leaf doof 30min

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 6	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 7	EC000747 - Door/operating panel (switchgear cabinet)
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Fire Resistant Enclosures

