
PRODUCT-DETAILS

N2304 PL

N2304 PL - Push-button, SP with bell symbol - 3M - Silver



Ogólne informacje

| | |
|-----------------------|---|
| Extended Product Type | N2304 PL |
| ID Produktu | 2CLA230400N1301 |
| Numer EAN | 8427238085609 |
| Opis katalogowy | N2304 PL - Push-button, SP with bell symbol - 3M - Silver |
| Opis | Color: Silver. Rated voltage: 110 - 250 Vac Rated current: 16 A Screwless terminals 1-gang, 1-way - Normally Opened (NO) contact Optional: locator LED lamp N2191.1 BL (127 Vac) |
| | Size: 3 modules. |

Charakterystyka zamówienia

| | |
|----------------------------|---------------|
| Numer EAN | 8427238085609 |
| Minimalna ilość zamówienia | 10 sztuka |
| Kod taryfy celnej | 85365080 |

Wymiary

| | |
|--------------------------|----------|
| Szerokość produktu netto | 66 mm |
| Wysokość produktu netto | 44 mm |
| Waga produktu netto | 0.033 kg |

Informacje o pakowaniu

| | |
|-----------------------------------|---------------|
| Jednostka opakowania (poziom 1) | box 10 sztuka |
| Szerokość opakowania (poziom 1) | 0.097 m |
| Wysokość opakowania (poziom 1) | 0.06 m |
| Długość opakowania (poziom 1) | 0.233 m |
| Waga opakowania brutto (poziom 1) | 0.33 kg |
| EAN opakowania (poziom 1) | 8427238085609 |

Normy środowiskowe

| | |
|---------------------------------|--|
| Temperatura powietrza otoczenia | Eksploatacja -5 ... +35 °C Przechowywanie -5 ... +50 °C |
|---------------------------------|--|

Dodatkowe informacje

| | |
|-------------------------------|--|
| Typ napędu | Rocker |
| Kolor | Silver |
| Stopień ochrony obudowy | IP20 |
| Materiał | Plastic |
| Rodzaj montażu | Flush mounted (plaster) |
| Liczba biegunów | 1 |
| Typ produktu | Zenit |
| Nazwa produktu | Push-button, SP with bell symbol - 3M - Silver |
| Prąd znamionowy (I_n) | 16 A |
| Napięcie znamionowe (U_r) | 250 V |
| ID produktu zastąpionego | 2CL0N230403 |
| Surface Finishing | 1NO0NC |

Certyfikaty i deklaracje (Numer dokumentu)

| | |
|---------------------------------------|-----------------|
| Arkusze danych, informacja techniczna | 9AKK10103A5108 |
| Instrukcje i podręczniki | 2CLX210109N1001 |

Klasyfikacje

| | |
|--------|------------------------|
| ETIM 5 | EC000029 - Push button |
| ETIM 6 | EC000029 - Push button |

ETIM 7

EC000029 - Push-switch button

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

