


PRODUCT-DETAILS

SBA-F-2.1.1

SBA-F-2.1.1 Blind actuator sensor, 2/1gang for ABB-free@home®



Ogólne informacje

Extended Product Type	SBA-F-2.1.1
ID Produktu	2CKA006220A0129
Numer EAN	4011395180174
Opis katalogowy	SBA-F-2.1.1 Blind actuator sensor, 2/1gang for ABB-free@home®

Opis	<p>For controlling blind or awning motors. With integrated blind actuator. Blind function is available also without prior programming (left sensor channel is pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The right sensor channel for programming additional functions (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.</p>
------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Charakterystyka zamówienia

Numer EAN	4011395180174
Kod taryfy celnej	85389091
Minimalna ilość zamówienia	1 sztuka
E-Number (Sweden)	1701060

Wymiary

Głębokość produktu netto	0.045 m
Wysokość produktu netto	0.071 m
Szerokość produktu netto	0.071 m
Waga produktu netto	0.055 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
EAN opakowania (poziom 1)	4011395180174
Długość opakowania (poziom 1)	0.078 m
Wysokość opakowania (poziom 1)	0.058 m
Szerokość opakowania (poziom 1)	0.092 m
Waga opakowania brutto (poziom 1)	74 g

Dane techniczne

Compatible Bus Systems	free@home
Stopień ochrony obudowy	IP20
Rodzaj montażu	Flush Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CKA001173B8557
Deklaracja zgodności - CE	2CKA100000E1374
Dane RoHS	9AKK104295D8727

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	-----------------------------------------------------------------

Klasyfikacje

ETIM 5	EC001330 - Shutting actuator for bus system
ETIM 6	EC001330 - Shutting actuator for bus system
ETIM 7	EC001330 - Shutting actuator for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → free@home → Shading Control → Blind Actuators 230 V AC

