



PRODUCT-DETAILS

YLS-12-1000BC

CABLE TIE 450LB 39IN 316SS BLK COAT



General Information

Extended Product Type	YLS-12-1000BC
Product ID	7TCG009420R0033
EAN	5414363453222
Catalog Description	CABLE TIE 450LB 39IN 316SS BLK COAT
Long Description	Ball-Lock 316 Stainless Steel Heavy Duty Cable Tie, Black Polyester Coating, for Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Ultraviolet Resistant, Length of 1000mm (39.37 Inches), Width of 12.0mm (0.472 Inches), Thickness of 0.42mm (0.0165 Inches), Tensile Strength Rating of 2000 Newtons (450 pounds)

Ordering

EAN	5414363453222
-----	---------------

Dimensions

Product Net Width	0.472 in 12 mm
Product Net Depth / Length	39.37 in 1000 mm
Product Net Weight	.109 lb 49.433 g

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	7.9 in 201 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	19.7 in 500 mm
Package Level 2 Units	250 piece
Package Level 2 Width	6.89 in 175 mm
Package Level 2 Height	11.81 in 300 mm
Package Level 2 Depth / Length	23.03 in 585 mm

Additional Information

Application	For Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications
Brand / Label	Ty-Rap
Color	Black
Lock Type	Ball-Lock
Material	316 Stainless Steel
Number of Batteries	0
Product Name	OTHER ARTICLES OF IRON OR STEEL
Product Type	Stainless Steel
Special Functions	Black Polyester Coating, Ultraviolet Resistant
Tensile Strength	450 lb 2000 N
Thickness	0.0165 in 0.42 mm
UPC	786209896391

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	YLS-12-1000BC
Declaration of Conformity - CE	9AKK107492A9838
Instructions and Manuals	YLS-12-1000BC

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5046 >> Stainless Steel Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

