

PRODUCT-DETAILS

22R106

RING TERM CU 24-15 AWG NO6 BOLT



General Information

Extended Product Type	22R106
Product ID	7TAI029030R0026
EAN	5414363112143
Catalog Description	RING TERM CU 24-15 AWG NO6 BOLT
Long Description	Insulation Piercing Magnet Wire Ring Terminal, Length .91 Inches, Width .30 Inches, Length of Teeth .45 Inches, Width of Teeth .25 Inches, Stud Size 10, Wire Range #16 AWG - #12 AWG 2,580 Circular Mil Area - 12,330 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363112143
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in

	76 mm
Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	6.3 in 160 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	21.2 in 538 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19761122
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Ring Terminal
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
UPC	786210890005

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	22R106
Instructions and Manuals	22R106

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

