

PRODUCT-DETAILS

# ZLS201E36

## ZLS201E36 Busbar



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | ZLS201E36   |
| Product ID            | 2CCF800172R0001   |
| EAN                   | 7612270016532   |
| Catalog Description   | ZLS201E36 Busbar  |
| Long Description      | Busbar 125A L1, L2, L3, N or PE 10x3mm galvanic plated for SMISLINE TP-Touch proof system PLE36 |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 7612270016532 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389040      |

### Dimensions

|                            |        |
|----------------------------|--------|
| Product Net Width          | 10 mm  |
| Product Net Height         | 10 mm  |
| Product Net Length         | 643 mm |
| Product Net Depth / Length | 643 mm |
| Product Net Weight         | 178 g  |

---

**Container Information**


---

|                                |                |
|--------------------------------|----------------|
| Package Level 1 Units          | carton 1 piece |
| Package Level 1 Width          | 20 mm          |
| Package Level 1 Height         | 10 mm          |
| Package Level 1 Depth / Length | 648 mm         |
| Package Level 1 Gross Weight   | 178 g          |
| Package Level 1 EAN            | 7612270016532  |

---



---

**Environmental**


---

|             |   |
|-------------|---|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|---|

---



---

**Additional Information**


---

|                                 |                  |
|---------------------------------|------------------|
| Product Main Type               | ZLS201           |
| Product Name                    | Busbar           |
| Rated Current (I <sub>n</sub> ) | 125 A            |
| Rated Operational Voltage       | 690/1000 V AC/DC |
| RoHS Date                       | 20170426         |
| Standards                       | IEC/EN 61439-6   |
| Type of Residual Current        | standard version |

---



---

**Certificates and Declarations (Document Number)**


---

|                                   |                      |
|-----------------------------------|----------------------|
| Data Sheet, Technical Information | 9AKK107492A6192      |
| Declaration of Conformity - CE    | 2CCC451043D0201      |
| Environmental Information         | 2CCY451206D0201      |
| Instructions and Manuals          | 9AKK107680A2315      |
| RoHS Information                  | 2CCC413008D0206_RoHS |
| Dimension Diagram                 | 9AKK107492A6192      |

---



---

**Classifications**


---

|                            |  |
|----------------------------|--|
| ETIM 4                     | EC001522 - Busbar  |
| ETIM 5                     | EC001522 - Busbar  |
| ETIM 6                     | EC001522 - Busbar  |
| ETIM 7                     | EC001522 - Busbar  |
| Object Classification Code | W  |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

---



---

**Categories**


---

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems Accessories

