



PRODUCT-DETAILS

TY125-40

CBL TIE 30LB 5.5IN NATURAL NYLON



General Information

Extended Product Type	TY125-40
Product ID	7TAG054360R0123
EAN	5414363060536
Catalog Description	CBL TIE 30LB 5.5IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 141.48mm (5.57 Inches), Width of 3.556mm (0.140 Inches), Thickness of 1.17mm (0.046 Inches), Tensile Strength Rating of 180 Newtons (40 Pounds), UL Recognized Tensile Strength Rating of 135 Newtons (30 Pounds), Bulk Pack

Ordering

EAN	5414363060536
-----	---------------

Dimensions

Product Net Width	0.14 in 3.556 mm
Product Net Length	0, mm
Product Net Depth / Length	5.57 in 141.48 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	13.1 in 333 mm
Package Level 2 Height	13.5 in 343 mm
Package Level 2 Depth / Length	14.6 in 371 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.06 to 1.26 in 1.6 to 32 mm
Color	Natural
Effective Date	19921030
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Special Functions	The integrally formed nylon pawl combines low insertion and high locking strength.
Standards	UL E49405
Tensile Strength	30 lb 135 N
Thickness	0.046 in 1.17 mm
UPC	786210895512

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY125-40
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY125-40

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

