


PRODUCT-DETAILS

SB/U8.0.1-884

SB/U8.0.1-884 Control element 8gang ABB Tenton®



General Information

Extended Product Type	SB/U8.0.1-884
Product ID	2CKA006330A0072
EAN	4011395299067
Catalog Description	SB/U8.0.1-884 Control element 8gang ABB Tenton®
Long Description	With integrated KNX bus coupler. With labelling field. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Push switch function: switching / dimming / blind / sending values / scenes etc. With integrated temperature sensor. Number of bus subscribers: 1

Ordering

EAN	4011395299067
Customs Tariff Number	90329000
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405020705

Dimensions

Product Net Depth / Length	0.0135 m
Product Net Height	0.1171 m
Product Net Width	0.0901 m
Product Net Weight	0.117 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Depth / Length	0.154 m
Package Level 1 Height	0.076 m
Package Level 1 Width	0.135 m
Package Level 1 Gross Weight	287 g
Package Level 2 Units	10 piece
Package Level 2 Depth / Length	0.393 m
Package Level 2 Height	0.171 m
Package Level 2 Width	0.293 m
Package Level 2 Gross Weight	2.865 kg
Package Level 3 Units	400 piece
Package Level 3 Depth / Length	1.2 m
Package Level 3 Height	1.005 m
Package Level 3 Width	0.8 m
Package Level 3 Gross Weight	134.6 kg

Technical

Compatible Bus Systems	KNX
Mounting Type	Flush Mounted

Certificates and Declarations (Document Number)

Instructions and Manuals	2CKA000073BB9649
Declaration of Conformity - CE	2CKA100000E4151
RoHS Information	9AKK104295D8727

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Classifications

ETIM 6	EC000672 - Touch sensor for bus system
ETIM 7	EC000672 - Touch sensor for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → User Operation - ABB-Tenton® → 8 fold

"	Light 1	Light 2	"
"	Scene 1	Scene 2	"
"	Room 1	Room 2	"
"	Bath room	Living room	"