

PRODUCT-DETAILS

TY400-40X

CABLE TIE 40LB 15IN UV BLACK NYLON



General Information

Extended Product Type	TY400-40X
Product ID	7TAG054360R0313
EAN	5414363064589
Catalog Description	CABLE TIE 40LB 15IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 370mm (14.57 Inches), Width of 3.6mm (0.14 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 178 Newtons (40 Pounds), Bulk Pack

Ordering

EAN	5414363064589
-----	---------------

Dimensions

Product Net Width	0.14 in 3.6 mm
Product Net Length	0, mm
Product Net Depth / Length	14.57 in 370 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	22 in 559 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.37 in 238 mm
Package Level 2 Height	19.75 in 502 mm
Package Level 2 Depth / Length	11.5 in 292 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Black
Effective Date	19970528
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.05 in 1.3 mm
UPC	786210713199

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-40X
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-40X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

