

PRODUCT-DETAILS

# UD/S6.210.2.1

## UD/S6.210.2.1 LED dimmer 6 x 210 W/VA 1 to 6gang



### Общая информация

Тип расширенного изделия	UD/S6.210.2.1
Идентификационный номер изделия	2CKA006197A0049
Европейский товарный код (EAN)	4011395251881
Описание в каталоге	UD/S6.210.2.1 LED dimmer 6 x 210 W/VA 1 to 6gang

Длинное описание

Multichannel universal dimming actuator optimised for dimming retrofit LED lamps (LEDi). Also suitable for dimming incandescent lamps, low-voltage halogen lights with conventional or electronic transformers, 230 V halogen lamps and dimmable energy-saving halogen lamps. Automatic load detection (can be deactivated). Separate N-connection per channel. Parallel connection of the outputs possible to increase the output power. Outputs can be connected in parallel in any configuration. Minimum load: 2 W. Manual operation on device also possible without bus voltage or in an unprogrammed status. Programming of the device also possible without applied 230V supply voltage. Extensive test and diagnosis functions for the i-Bus tool. Fast parameter setting in ETS using copyable channel templates. With integrated bus coupler. Nominal power at 230 V~ mains voltage: 230 V~ incandescent and halogen lamps: 6 x 210 W/VA to 1 x 800 W/VA. Dimmable 230 V~ LEDi: 6 x 210 W/VA to 1 x 800 W/VA in trailing edge control, 6 x 80 W/VA to 1 x 240 W/VA in leading edge control. Inductive L-transformers with LED/low-voltage halogen lamp: 6 x 210 W/VA to 1 x 800 W/VA. Electronic C-transformers with LED/low-voltage halogen lamp: 6 x 210 W/VA to 1 x 800 W/VA. Electronic LC-transformers with LED/low-voltage halogen lamp: 6 x 80 W/VA to 1 x 240 W/VA.

### Ordering

Европейский товарный код (EAN)	4011395251881
--------------------------------	---------------

Номер таможенного тарифа	85389091
Минимальный объем заказа	1 штука
E-Number (Finland)	2814592
E-Number (Sweden)	1739491

## Dimensions

Чистая толщина изделия	0.064 m
Чистая высота изделия	0.09 m
Чистая ширина изделия	0.144 m
Чистый вес изделия	0.464 kg

## Container Information

Package Level 1 Units	1 штука
Package Level 1 Depth / Length	0.182 m
Package Level 1 Height	0.096 m
Package Level 1 Width	0.125 m
Package Level 1 Gross Weight	579 g

## Technical

Compatible Bus Systems	KNX
Тип монтажа	Mounted Din Rail Component

## Certificates and Declarations (Document Number)

Инструкции и руководства	2CKA000073B9627
Декларация о соответствии - CE	2CKA100000E2677
Правила ограничения содержания вредных веществ. RoHS информация	9AKK104295D8727

## Environmental

Правила ограничения содержания вредных веществ. RoHS статус	Согласно Директиве ЕС 2002/95/EC от 18 августа 2005 г. и поправкам
-------------------------------------------------------------	--------------------------------------------------------------------

## Classifications

ETIM 6	EC001094 - Dimming actuator for bus system
ETIM 7	EC001094 - Dimming actuator for bus system

---

## Категории

---

Низковольтное оборудование → Home and Building Automation → KNX → Lighting Control → Universal Dim Actuators

