


PRODUCT-DETAILS

CR-P110DC2SS42CV

CR-P110DC2SS42CV Interface relay cpl. with socket, function module and holder



General Information

Extended Product Type	CR-P110DC2SS42CV
Product ID	1SVR405601R8010
EAN	4013614540141
Catalog Description	CR-P110DC2SS42CV Interface relay cpl. with socket, function module and holder
Long Description	The CR-P110DC2SS42CV is a complete relay assembly consisting of an interface relay, socket, holder and function module. The interface relay is from the CR-P (pcb) relay range. This relay operates with a 24 V AC rated control supply voltage and has a 2 c/o (SPDT) output contact rated at 250 V / 8 A.

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85364900

Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9000
Instructions and Manuals (Part 2)	1SVC405600M9000

Dimensions

Product Net Width	16 mm
Product Net Height	69 mm
Product Net Depth / Length	76 mm
Product Net Weight	0.061 kg

Technical

Function	Pluggable fully assembled pcb interface relay CR-P
Output	2 c/o (SPDT) contacts
Output Signal	250 V / 8 A
Rated Control Supply Voltage (U _s)	110 V DC
Terminal Type	Screw Terminals

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SVD982018-0003
Instructions and Manuals	1SVC405650M9000
Instructions and Manuals (Part 2)	1SVC405600M9000
RoHS Information	1SVD982018-0003

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	92 mm
Package Level 1 Height	65 mm
Package Level 1 Depth / Length	220 mm
Package Level 1 Gross Weight	0.707 kg
Package Level 1 EAN	4013614551123

Classifications

Object Classification Code	K
ETIM 5	EC001437 - Switching relay
ETIM 6	EC001437 - Switching relay
ETIM 7	EC001437 - Switching relay
eClass	V11.0 : 27371601
UNSPSC	39122331

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

