



box terminal 4 units accessory for: 3VA1 400/630 3VA2 400/630



| Model | |
|--|--|
| product brand name | SENTRON |
| product designation | accessories |
| Accessories | Box terminal |
| General technical data | |
| designation / of the terminal | TS1.5 |
| Connections according IEC | |
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum | 35 mm ² 300 mm ² |
| type of connectable conductor cross-sections / of the laminated conductor rails | |
| <ul style="list-style-type: none"> minimum maximum | 2 - 10x 20 mm x 1 mm 2 - 10x 24 mm x 1 mm |
| stripped length | 26.5 mm |
| Connections according UL | |
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for copper cable / finely stranded / minimum for copper cable / finely stranded / maximum for copper cable / finely stranded / with core end processing / minimum for copper cable / finely stranded / with core end processing / maximum | 1/0 AWG 500 kcmil 1/0 AWG 500 kcmil 1/0 AWG 500 kcmil |
| tightening torque / when using copper cables | |
| <ul style="list-style-type: none"> stranded finely stranded | 1/0 - 4/0: 140 lb-in 250 -500 kcmil: 248 lb-in 1/0 - 4/0: 140 lb-in 250 -500 kcmil: 248 lb-in |
| Further information | |
| Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs | |
| Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9484-0JA13 | |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VA9484-0JA13 | |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9484-0JA13 | |
| CAx-Online-Generator http://www.siemens.com/cax | |
| Tender specifications http://www.siemens.com/specifications | |



last modified:

4/6/2021 

