

Inline terminal - IB IL 24 SEG/F-XC-PAC - 2701163

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Inline segment terminal, version for extreme conditions, complete with accessories (connector and labeling field), 24 V DC, with fuse

The figure shows the standard item

Product Description

The terminal is designed for use within an Inline station.

This terminal can be used to create a protected partial circuit (segment circuit) within a main circuit.

The internal fuse protects the segment circuit.

The terminal is not used for voltage supply. It therefore does not have any elements for protection against polarity reversal and surge voltage.


Thanks to special engineering measures and tests, the terminal can be used under extreme ambient conditions.

Your advantages

- Automatic creation of a segment circuit in the main circuit
- Segment circuit protected by an internal fuse
- Diagnostic and status indicators
- Can be used under extreme ambient conditions
- Extended temperature range of -40 °C ... +70 °C (see "Tested successfully: use under extreme ambient conditions" in the data sheet)
- Coated PCBs



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 713764
GTIN	4046356713764
Weight per Piece (excluding packing)	80.000 g
Custom tariff number	85389091
Country of origin	Germany

