

STAIRCASE LIGHTING TIME SWITCH WITH  
PREWARNING BY SHORT INTERRUPTION FOR 230  
V CONTACT 2000 W



Figure similar

Model		
product brandname		SETRON
Product designation		Timers
Design of the product		Staircase lighting timer
General technical data		
Switch-off prewarning		flashing
Manner of function / of the staircase lighting switch		manual
Short-circuit current rating	A	700
Voltage		
Staircase lighting timing switch reset function		resettable
Supply voltage		
Supply voltage / at AC		
• minimum	V	230
• maximum	V	230
Type of voltage / of the supply voltage		AC
Switching capacity		

<b>Switching capacity apparent power</b>		
• for fluorescent lamp load with DUO circuit	V·A	1 160
• for uncompensated fluorescent lamp load	V·A	1 160
<b>Switching capacity current</b>		
• at cos phi 0.6	A	16
• Rated value	A	16
<b>Switching capacity active power / with filament lamp load</b>		
	W	2 000

### Dissipation

<b>Power loss [W]</b>		
• for rated value of the current / at AC / in hot operating state / per pole	W	5
• maximum	W	5

### Electricity

Consumed current / of the light source	mA	50
<b>Connection method for staircase lighting timer switch</b>		3- and 4-wire-circuit

### Control current

<b>Type of voltage</b>		
• of control voltage_1		AC
<b>Control voltage</b>		
• _1 / initial value	V	230
• _1 / Full-scale value	V	230
<b>Control voltage frequency</b>		
• _1 / initial value	Hz	50
• _1 / Full-scale value	Hz	50

### Adjustable parameters

<b>Adjustable OFF-delay time</b>		
• initial value	min	0.5
• Full-scale value	min	10

### Number

<b>Number of NC contacts</b>		0
<b>Number of NO contacts</b>		1
<b>Number of CO contacts</b>		0

### Mechanical Design

<b>Height</b>	mm	90
<b>Width</b>	mm	18
<b>Depth</b>	mm	64
<b>Installation depth</b>	mm	64
<b>Number of width units</b>		1
<b>Mounting type</b>		DIN-busbar

Net weight	g	88
------------	---	----

### Certificates

Equipment marking		
<ul style="list-style-type: none"> <li>• acc. to DIN EN 61346-2</li> <li>• acc. to DIN EN 81346-2</li> </ul>		K K
General Product Approval	Declaration of Conformity	other



[Umweltbestätigung](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/7LF6113>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/7LF6113/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=7LF6113](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=7LF6113)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

