



 PRODUCT-DETAILS

OHB330J12

OHB330J12 HANDLE



General Information

Extended Product Type	OHB330J12
Product ID	1SCA115922R1001
EAN	6417019481937
Catalog Description	OHB330J12 HANDLE
Long Description	OHB330J12 PISTOL HANDLE

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information	1SCC301020C0201
-----------------------------------	-----------------

Instructions and Manuals	1SCC390094M0204
Mechanical Drawings	OH_330J_palikka.igs

Environmental

Degree of Protection	IP65
----------------------	------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country or Territory of Origin	Estonia

Dimensions

Product Net Width	364.7 mm
Product Net Height	70 mm
Product Net Depth / Length	69.4 mm
Product Net Weight	0.6 kg

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	365 mm
Package Level 1 Depth / Length	70 mm
Package Level 1 Height	70 mm
Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	6417019481937

Technical

Color	Black
Degree of Protection	IP65
Handle Color	Black
Handle Length	330 mm
Handle Type	Pistol
Special Functions	J12

Certificates and Declarations

Declaration of Conformity - CE	1SCC390030D2704
--------------------------------	-----------------

External Classifications and Standards

Object Classification Code	N/A
ETIM 9	EC000229 - Handle for power circuit breaker
ETIM 10	EC000229 - Handle for power circuit breaker
UNSPSC	31162801
IDEA Granular Category	3038 >> Handles or knobs

Code (IGCC)

eClass

V11.1 : 27370414

WEEE Category

Product Not in WEEE Scope

E-Number (Finland)

3601604

Categories

Low Voltage Products and Systems → Switches → DC Switch-Disconnectors

Low Voltage Products and Systems → Switches → Switch Disconnectors

Low Voltage Products and Systems → Switches → Switch Fuses → Accessories for Switch Fuses

