



E3Z-LR81-M1J 0.3M

Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m

Specifications

Shape	Cuboid
Sensing method	Retro-reflective
Sensing distance	15000 mm
Sensing distance (min.)	200 mm
Setting method	Manual adjustment
Connection method	M12 pigtail connector
Cable length	0.3 m
Output type	PNP
Operation mode	Dark-ON, Light-ON
Response time	1 ms
Material housing	PBT
Thread size	Other
Product Width (unpacked)	10.8 mm
Product Height (unpacked)	31 mm
Product Depth (unpacked)	20 mm
Type of light	Laser diode, red light
Laser class	1
Spot size	5 mm
Power supply voltage	12-24 V
Features	M.S.R.
Degree of protection (IP)	IP67


Accessories

	E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting
	E39-L142	Mounting Bracket, protective side wall (for E3Z)
	E39-L144	Sensor mounting Bracket, Protective bracket for E3Z pre-wired
	E39-L150	Sensor mounting Bracket for E3Z, 100mm high post
	E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post
	E39-L43	Mounting bracket for E3Z sensor, side mounting
	E39-L44	Mounting bracket for E3Z sensor, rear mounting
	E39-L93FH	Mounting bracket for E3Z, 3D telescope mounting
	E39-R12	Reflector, E3C-LDA sensor, 23x23mm effective area
	E39-R1S	Accessory photoelectric sensor, reflector, 40 x 60 x 7.5 mm, ABS & Acrylic
	E39-R6	Accessory photoelectric sensor, reflector, 52 x 40 mm, micro-triple surface
	E39-RS1	Reflective tape, self adhesive, 35 x 10 mm
	E39-RS2	Accessory photoelectric sensor, reflective tape, 40 x 35 x 0.5 mm, Acrylic, self-adhesive



E39-RS25 5M

Accessory photoelectric sensor, reflective tape, 25 mm x 5 m



E39-RS3

Reflective tape, self-adhesive, 70x80mm



E39-RS50 5M

Accessory photoelectric sensor, reflective tape, 50 mm x 5 m


Related products



M12 Connectors & Cordsets

Industrial connectors & cordsets for any application

CAD Library



E3Z Brochure

EN PDF 1.34 MB



E3Z Laser Series Datasheet

EN PDF 3.07 MB



E3Z-L____ Instruction Sheet

EN PDF 1.47 MB



EAC Mark removal Discontinuation Notice

EN PDF 221 KB