



 PRODUCT-DETAILS

CPO125-S-A

1/8 STRIPED THIN-WALL HEAT SHRINK 4



General Information

Extended Product Type	CPO125-S-A
Product ID	7TAA017310R0060
Catalog Description	1/8 STRIPED THIN-WALL HEAT SHRINK 4
Long Description	Thin-Wall Heat Shrinkable Tubing, Green/Yellow Striped Cross-Linked Polyolefin, 1/16 Inch, Shrink Ratio 2:1, Length 4 Feet, Operating Temperature -55 to 135 Degrees Celsius, Non-Lined

Ordering

UPC	786209988492
Country or Territory of Origin	Germany
Selling Unit of Measure	each

Dimensions

Product Net Depth / Length	4 ft
----------------------------	------

Container Information

Package Level 1 Units	25 EA
Package Level 1 Width	152.4 mm 6 in
Package Level 1 Height	0.254 mm 0.01 in
Package Level 1 Depth / Length	1270 mm 50 in
Package Level 2 Units	250 EA
Package Level 2 Width	209.55 mm 8.25 in
Package Level 2 Height	209.55 mm 8.25 in
Package Level 2 Depth / Length	1244.6 mm 49 in

Additional Information

Brand / Label	Shrink-Kon
Color	Green/Yellow Striped
Effective Date	20110818
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	2:1
Special Functions	Flame-retardant, cross-linked polyolefin.

Certificates and Declarations

Data Sheet, Technical Information	CPO125-S-A
-----------------------------------	------------

External Classifications and Standards

ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Material Compliance

RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	9AKK108466A3881
REACH Information	False - does not contain substances > 0.1 mass percentage
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

