

**060N1064****Pressure transmitter, MBS 5150, 0 bar - 10 bar, 0 psi - 145 psi**

Pressure reference: Gauge (relative), Output signal: Current, Electrical connection: Angular connector, Pressure connection type: G, Pressure connection size: 1/4, Specification key: MBS 5150-2011-A6DB04-4

**PRODUCT DETAILS**

<b>Gross weight</b>	0.402 Kilogram
<b>Net weight</b>	0.332 Kilogram
<b>Volume</b>	0.493 Liter
<b>EAN</b>	5702423060559
<b>Type</b>	MBS 5150
<b>Product group</b>	Sensors
<b>Product Name Description</b>	Pressure transmitter
<b>+ supply</b>	Pin 1
<b>- common</b>	Pin 2
<b>Accuracy, max. [<math>\pm</math>FS%]</b>	0.3 %
<b>Accuracy, typical [<math>\pm</math>FS%]</b>	0.1 %
<b>Adj. zero point and span</b>	No
<b>Ambient temperature range [<math>^{\circ}</math>C]</b> [max]	85 $^{\circ}$ C
<b>Ambient temperature range [<math>^{\circ}</math>C]</b> [min]	-40 $^{\circ}$ C
<b>Ambient temperature range [<math>^{\circ}</math>F]</b> [max]	185 $^{\circ}$ F
<b>Ambient temperature range [<math>^{\circ}</math>F]</b> [min]	-40 $^{\circ}$ F
<b>Approval</b>	CE C UL US UL Recognized
<b>CE evaluated</b>	Yes
<b>China RoHS compliance</b>	Out of scope
<b>Compensated temp. range [<math>^{\circ}</math>C]</b> [max]	80 $^{\circ}$ C
<b>Compensated temp. range [<math>^{\circ}</math>C]</b> [min]	0 $^{\circ}$ C
<b>Compensated temp. range [<math>^{\circ}</math>F]</b> [max]	176 $^{\circ}$ F
<b>Compensated temp. range [<math>^{\circ}</math>F]</b> [min]	32 $^{\circ}$ F
<b>Contains batteries</b>	No
<b>EEE category</b>	5 small equipment (any external dimension &lt; 50 cm)
<b>Electrical conn. Male/Female</b>	Male and Female
<b>Electrical connection</b>	Angular connector
<b>Electrical connection size</b>	Pg 11
<b>Electrical connection standard</b>	EN 175301-803-A

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

**Product Detail | Pressure transmitter, MBS 5150, 0 bar - 10 bar, 0 psi - 145 psi**
**PRODUCT DETAILS**

<b>Enclosure rating IP</b>	IP65
<b>EU RoHS compliance</b>	Yes with exemptions
<b>EU RoHS exemption clause</b>	6(c)
<b>Flush diaphragm</b>	No
<b>High Clipping Level</b>	22.4
<b>In scope of WEEE</b>	Yes
<b>International Article Number</b>	5702423060559
<b>Intrinsically safe</b>	No
<b>Low Clipping level</b>	3.6
<b>Medium temperature range [°C] [max]</b>	85 °C
<b>Medium temperature range [°C] [min]</b>	-40 °C
<b>Medium temperature range [°F] [max]</b>	185 °F
<b>Medium temperature range [°F] [min]</b>	-40 °F
<b>Non-linearity BFSL [±FS%]</b>	0.2 %
<b>Other RoHS documentation</b>	Saudi Arabia RoHS
<b>Output signal</b>	Current
<b>Output signal [mA] [max]</b>	20 mA
<b>Output signal [mA] [min]</b>	4 mA
<b>Overload pressure max. [bar]</b>	20 bar
<b>Packing format</b>	Multi pack
<b>Pressure connection notes</b>	With flange
<b>Pressure connection size</b>	1/4
<b>Pressure connection standard</b>	ISO 228-1
<b>Pressure connection type</b>	G
<b>Pressure Male/Female</b>	Female
<b>Pressure range [bar] [max]</b>	10 bar
<b>Pressure range [bar] [min]</b>	0 bar
<b>Pressure range [psi] [max]</b>	145 psi
<b>Pressure range [psi] [min]</b>	0 psi
<b>Pressure reference</b>	Gauge (relative)
<b>Pulse-snubber</b>	Yes
<b>Quantity per packing format</b>	8 pc
<b>REACH Candidate List substances</b>	Lead (CAS no. 7439-92-1)
<b>Response time max. [ms]</b>	4 ms
<b>SCIP dossier no.</b>	16d2efc6-64f3-4a4e-ae98- a3fd7ce0218d
<b>SCIP dossier product name</b>	AKS/MBS
<b>Specification key</b>	MBS 5150-2011-A6DB04-4
<b>Supply voltage [V] DC [max]</b>	32 V
<b>Supply voltage [V] DC [min]</b>	9 V
<b>Test Signal</b>	PIN 3
<b>UL evaluated</b>	Yes

**For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories

---



### **060G0005** [↗](#)

#### **Accessories, sensors, Electrical connector**

Used for product: AKS/MBS, Parts included: Angular connector M20; Gasket, Packing format: Multi pack, Quantity per packing format: 32

---



### **060G0007** [↗](#)

#### **Accessories, sensors, Electrical connector**

Used for product: AKS/MBS, Parts included: Angular con. PG11 w.knife cont; Gasket, Packing format: Multi pack, Quantity per packing format: 96

---



### **060G0008** [↗](#)

#### **Accessories, sensors, Electrical connector**

Used for product: AKS/MBS, Parts included: Gasket; Angular con. PG9 w.knife cont., Packing format: Multi pack, Quantity per packing format: 96

---



### **060G1034** [↗](#)

#### **Accessories, sensors, Cable**

Used for product: AKS/MBS, Parts included: Plug w. 5,0 m cable, Packing format: Multi pack, Quantity per packing format: 8

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.