

# UWA 182/52 - Mounting adapter

2938235

<https://www.phoenixcontact.com/gb/products/2938235>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Universal wall adapter for securely mounting the device in the event of strong vibrations. The device is screwed directly onto the mounting surface. The universal wall adapter is attached on the top/bottom.

## Product description

Material: Steel 2.5 mm (St 1203), dimensions: Width 52 mm, height 182 mm, to assemble following power supplies directly on the panel: - QUINT-PS..., QUINT-DC-UPS... und QUINT BUFFER..., TRIO-PS/1AC/ 10+20A, TRIO-PS/3AC/...

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 2938235       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | CMPQZ9        |
| Product key                          | CMPQZ9        |
| GTIN                                 | 4046356051156 |
| Weight per piece (including packing) | 216.3 g       |
| Weight per piece (excluding packing) | 208 g         |
| Customs tariff number                | 73269098      |
| Country of origin                    | DE            |

# UWA 182/52 - Mounting adapter

2938235

<https://www.phoenixcontact.com/gb/products/2938235>



## Technical data

### Product properties

|                |                            |
|----------------|----------------------------|
| Product type   | Assembly adapter           |
| Product family | Mounting adapter           |
| Application    | Mounting on level surfaces |

### Dimensions

|        |        |
|--------|--------|
| Width  | 52 mm  |
| Height | 182 mm |
| Depth  | 9 mm   |

### Material specifications

|                  |                      |
|------------------|----------------------|
| Housing material | Steel, powder-coated |
|------------------|----------------------|

### Mounting

|               |                   |
|---------------|-------------------|
| Mounting type | DIN rail mounting |
|---------------|-------------------|

# UWA 182/52 - Mounting adapter



2938235

<https://www.phoenixcontact.com/gb/products/2938235>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27370419 |
| ECLASS-15.0 | 27370419 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC001024 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# UWA 182/52 - Mounting adapter



2938235

<https://www.phoenixcontact.com/gb/products/2938235>

## Environmental product compliance

### EU RoHS

|   |   |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.0 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 4.492 kg CO2e |
|---------|---------------|

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd  
Halesfield 13, Telford  
Shropshire, TF7 4PG  
01952 681700  
[info@phoenixcontact.co.uk](mailto:info@phoenixcontact.co.uk)