



STC-GPB250BPCL

Camera Link Area Scan Camera, 25 MP, monochrome, GMAX0505, 2,5 μm , 30 fps, global shutter, C Mount, cased, POCL

Specifications

Camera type	Monochrome
Number of pixels	25 MP
Interface	Camera Link
Lens mount	C-mount
Shutter type	Global
Image width	5120 pixels
Image height	5120 pixels
Image sensor format	1.1"
Image sensor type	GMAX0505
Pixel size	2.5 μ m
Frame rate	30.72 fps
Optical filter	None
Lens type	Not Applicable
Scan type	Area scan

CAD Library



CLCtrl2 Software

EN ZIP 2.85 MB



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



JTACtrl Software

EN ZIP 2.48 MB



LSCtrl Software

EN ZIP 1.73 MB

MacOS SDK MacOSX Sierra, Mac OSX High Sierra

Software

EN PKG 79.9 MB

SDK CentOS 7, Fedora 26, Fedora 28 (64bit / 32bit)

Software

EN TAR 53.1 MB

SDK Debian 9.4 (64bit/32bit)

Software

EN TAR 52.7 MB

SDK Raspberry PI 3 Raspbian 9

Software

EN TAR 52.1 MB

SDK Ubuntu 16.04 (ARM 64bit)

Software

EN TAR 52.5 MB

SDK Ubuntu 18.04 (64bit/32bit)

Software

EN TAR 52.7 MB

SDK ubuntu 16.04 (64bit/32bit)

Software

EN TAR 52.8 MB



STC-GPB250BPCL/STC- GPC250BPCL

Flyer

EN PDF 30 MB



SWIR Camera LBS132POE Manual Users Manual

EN PDF 2.32 MB



SWIR Camera LBS34POE Manual Users Manual

EN PDF 2.39 MB



SWIR Camera datasheet Datasheet

EN PDF 18.4 MB



Sentech SDK V1.1.2 Software

EN ZIP 572 MB



StUVC Viewer Software

EN ZIP 612 KB



USB3Vision_GIGE_CoaXPress Software

EN ZIP 252 MB

