



## NA5-9W001B-V1

Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Black

# Specifications

Screen diagonal	9 in
Number of pixels, horizontal	800
Number of pixels, vertical	480
Type of display	TFT
Number of colors of the display	16777216
Frame color	Black
Number of Ethernet ports	2
Number of USB ports	3
Number of RS-232 ports	1
Number of RS-422 ports	0
Number of RS-485 ports	0
Degree of protection (IP), front side	IP65
Width of the front	290 mm
Height of the front	190 mm
Width of panel cutout	260 mm
Height of panel cutout	165 mm
Built-in depth	63.1 mm
Product Weight (unpacked)	1700 g

## Accessories



**FZ-MEM16G**

Accessory FH, USB memory 16G

**HMC-SD293**

SD memory card, 2 GB

**HMC-SD493**

SD memory card, 4 GB



**NA-9WKBA04**

Protective cover sheets for NA5 9" HMI (contains 5 sheets)

## Spare parts



**CJ1W-BAT01**

Battery for CJ1M PLCs

## CAD Library



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB



### FDK CR14250SE Battery Safety Datasheet

EN PDF 140 KB



### IAG Library for Simple Login Software

EN ZIP 154 KB



### Machine Interface NA5- V1 Series Datasheet

EN PDF 8.03 MB



### NA Predesigned Objects Software

EN ZIP 2.48 MB



### NA Series Programmable Terminal Getting Started Guide

EN PDF 3.8 MB



### NA Series Programmable Terminal Device Connection Users Manual

EN PDF 3.13 MB



### NA Series Programmable Terminal Software Users Manual

EN PDF 14 MB



### NS to NA Replacement Guide Replacement guide

EN PDF 4.93 MB



### Omron OEE Standard IAG Software

EN ZIP 18.6 MB




### Programmable Terminal NA-series (V1) Users Manual

EN PDF 6.87 MB



### Standard IAG Library Operation Manual

EN PDF 4.74 MB



### Standard IAGs Software

EN ZIP 9.32 MB



### Sysmac Catalogue

EN PDF 43.5 MB



### Sysmac: A Fully Integrated Platform Brochure

EN PDF 19.1 MB