



## S8VK-G03012

Book type power supply, Pro, 30 W, 12 VDC, 2.5A, DIN rail mounting

# Specifications

Type	DIN-rail
Mounting method	DIN rail
Phase	Single
Output voltage	12 V
Power output	30 W
Efficiency	82 %
Rated output current	2.5 A
Power boost ratio	120 %
Temperature range	-40-70 °C
Terminal type	Screw
Communication port(s)	None
Alarm function	-
Number of output branches	1
Rated supply voltage at AC 50 Hz	100-240 V
Allowable supply voltage AC	85-264 V
Allowable supply voltage DC	90-350 V
Product Width (unpacked)	32 mm
Product Height (unpacked)	90 mm
Product Depth (unpacked)	90 mm

# Related products



**S8V-NF**  
Noise Filter S8V-NF

# Downloads

CAD Library



**EAC Mark removal**  
**Discontinuation Notice**

EN PDF 221 KB



**Perfect Power Supply**  
**Solutions**  
**Brochure**

EN PDF 807 KB



**S8VK-G**  
**Instruction Manual**

EN PDF 897 KB



**S8VK-G Switch Mode**  
**Power Supply**  
**Datasheet**

EN PDF 7.46 MB



**S8VK-S/S8FS-G**  
**Brochure**

EN PDF 2.4 MB

## TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 16 October, 2025. [Click here for terms of use.](#)

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU