

Product datasheet

Specifications



20 pins screw type connector CCA620 for Sepam series 20,40,60,80

59668

! Discontinued

! To be discontinued on: 31 Dec 2026

! To be end-of-service on: 31 Dec 2030

EAN Code: 3303430596684

Main

Accessory / separate part type	Connector
Range of product	Sepam series 60 Sepam series 80 NPP Sepam series 80 Sepam series 40 Sepam series 20 Sepam series 48
Device short name	CCA620

Complementary

Auxiliary connection terminal	Screw-type connector 20 pin(s) 1 cable(s) 0.2...2.5 mm ² without cable end Screw-type connector 20 pin(s) 1 cable(s) 1.5...2 mm ² with cable end Screw-type connector 20 pin(s) 2 cable(s) 0.2...1 mm ² without cable end Screw-type connector 20 pin(s) 2 cable(s) 1 mm ² with cable end
Wire stripping length	8...10 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.100 cm
Package 1 Width	2.700 cm
Package 1 Length	11.500 cm
Package 1 Weight	35.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	50
Package 2 Height	8.800 cm
Package 2 Width	13.800 cm
Package 2 Length	24.900 cm
Package 2 Weight	1.884 kg
Unit Type of Package 3	S03
Number of Units in Package 3	450
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm

Package 3 Length	40.000 cm
------------------	-----------

Package 3 Weight	17.560 kg
------------------	-----------

Contractual warranty

Warranty	18 months
----------	-----------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.


[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)

Use Again

 Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No