


Product datasheet

Specifications

PrismaSeT P Green Cover W800 IP30/31/55



LVS08643

EAN Code: 3606481083104

Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Type of front plate	Plain

Complementary

Enclosure/cubicle description	Cubicle - width 800 mm
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Painted steel
Surface finish	Textured Matt
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	Green (RAL 6029)
Height	50 mm
Width	800 mm
Net weight	0.80 kg
Quantity per set	Set of 1
functional unit	800 mm PrismaSeT P cubicle

Environment

IP degree of protection	IP31 IP41 IP55
-------------------------	----------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.800 cm
Package 1 Width	5.000 cm
Package 1 Length	81.500 cm

Package 1 Weight	1.325 kg
Unit Type of Package 2	X12
Number of Units in Package 2	110
Package 2 Height	75.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	163.700 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions

