



## PF113A-E

Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)

# Specifications

Applicable product family	61F, MKS
Mounting method	DIN rail
Terminal type	Screw
Product Width (unpacked)	42.8 mm
Product Height (unpacked)	52 mm
Product Depth (unpacked)	31 mm
Color	Black
Hold down clip included	×
Release Lever included	×
Applicable ferrules	Forked terminals, Ring terminals, Round terminals

## Fits to



### MKS3P-5 110VAC

Relay, plug-in, 11-pin,  
3PDT, 10 A, mech indicator



### MKS3P-5 230VAC

Relay, plug-in, 11-pin,  
3PDT, 10 A, mech indicator



### MKS3P-5 24VAC

Relay, plug-in, 11-pin,  
3PDT, 10 A, mech indicator



### MKS3P-5 24VDC

Relay, plug-in, 11-pin,  
3PDT, 10 A, mech indicator



**MKS3PI 24VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 110VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 110VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 12VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 230VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 240VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 24VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 24VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PI-5 48VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button



**MKS3PIN-5 110VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button



**MKS3PIN-5 12VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button



**MKS3PIN-5 230VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button



**MKS3PIN-5 24VAC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button



**MKS3PIN-5 24VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button



**MKS3PIN-D-5 24VDC**

Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression

# Accessories



PFC-A1

Retaining clips for MK relay & PF\*-AE sockets



PFP-100N

DIN-rail mounting track, 35 x 7.3 mm, 1 m length



PFP-100N2

DIN-rail mounting track, 35x16mm, 1m length



PFP-50N

Din rail track, 500 mm



Y92A-48G

Protective cover for DIN48x48mm device

# Downloads

CAD Library



**EAC Mark removal  
Discontinuation Notice**

EN PDF 221 KB



**MK-S General-purpose  
Relays  
Datasheet**

EN PDF 413 KB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 30 October, 2025. [Click here for terms of use.](#)

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU