




PRODUCT-DETAILS

LTGUS03G-C

LFMC GP UL 3/4IN GRY 30M/100FT



General Information	
Extended Product Type	LTGUS03G-C
Product ID	7TAA012LN0R0002
EAN	5415022391152
Catalog Description	LFMC GP UL 3/4IN GRY 30M/100FT
Long Description	Liquid Tight Flexible Metallic Conduit, General Purpose, Galvanised Steel Core with PVC Jacket, Conduit Size 3/4 Inch, Length 30 Meters/100 Feet, Working Temperature -30 to 80 Degrees C, UL E125517, CSA LR-72635, Compliant to RoHS, Gray

Additional Information	
Application	General Purpose
Product Type	Liquid Tight Flexible Metallic Conduit

Ordering	
EAN	5415022391152
UPC	786210108421

Dimensions	
Product Net Depth / Length	100 ft 30 m
Outside Diameter	1.050 in

Technical	
Number of Batteries	0
Color	Gray
Material	Galvanised Steel

Environmental	
WEEE Category	Product Not in WEEE Scope
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information	
Package Level 1 Units	100 ft
Package Level 1 Height	203.2 mm 8 in
Package Level 1 Depth / Length	527.05 mm 20.75 in
Package Level 1 Width	517.652 mm 20.38 in

Certificates and Declarations	
Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LTGUS03G-C
Declaration of Conformity - CE	9AKK107492A9887

External Classifications and Standards	
ETIM 8	EC001179 - Protective metallic hose
ETIM 9	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

