

**009L6582****Shut-off ball valve, GBCT 10s**

Inlet connection type: Solder, ODF, Outlet connection type: Solder, ODF, Inlet size [in]: 3/8 in, Outlet size [in]: 3/8 in

**PRODUCT DETAILS**

<b>Gross weight</b>	0.325 Kilogram
<b>Net weight</b>	0.27 Kilogram
<b>Volume</b>	0.655 Liter
<b>EAN</b>	5702428559423
<b>Type</b>	GBCT 10s
<b>Product group</b>	Shut-off and regulating valves
<b>Product Name Description</b>	Shut-off ball valve
<b>Access port</b>	Yes
<b>Approval</b>	C UL US LISTED EAC
<b>Body material</b>	Brass
<b>CE evaluated</b>	Yes
<b>China RoHS compliance</b>	Yes with exemptions
<b>Connection material</b>	Copper
<b>Contains batteries</b>	No
<b>Cv value [gal/min]</b>	4.3 gal/min
<b>Direction</b>	Straightway
<b>Equipment</b>	Cap w. wire seal
<b>EU RoHS compliance</b>	Yes with exemptions
<b>EU RoHS exemption clause</b>	6(c)
<b>Flow direction</b>	Bi-flow
<b>Flow direction indicator</b>	Laser engraved 2-way arrow
<b>Ignition source assessment</b>	Yes
<b>Inlet connection type</b>	Solder, ODF
<b>Inlet size [in]</b>	3/8 in
<b>Kv value [m<sup>3</sup>/h]</b>	3.7 m <sup>3</sup> /h
<b>Max. Working Pressure [bar]</b>	140 bar
<b>Max. Working Pressure [psig]</b>	2031 psig
<b>Outlet connection type</b>	Solder, ODF
<b>Outlet size [in]</b>	3/8 in
<b>Packing format</b>	Multi pack
<b>Parts included</b>	Schrader valve
<b>Quantity per packing format</b>	30 pc
<b>Refrigerants</b>	R744
<b>Temperature range [°C] [max]</b>	149 °C
<b>Temperature range [°C] [min]</b>	-40 °C
<b>Temperature range [°F] [max]</b>	300 °F
<b>Temperature range [°F] [min]</b>	-40 °F

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

**PRODUCT DETAILS**

---

<b>UL approved refrigerants</b>	R744
<b>UL evaluated</b>	Yes

---

**For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store** [↗](#)

**Accessories**

---

**We're sorry, but the requested information is currently unavailable.**

This may be because accessories for this product are not available or the data is incomplete.

For the latest and most accurate information, please visit [store.danfoss.com](https://store.danfoss.com).

Thank you for your understanding.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.