



PTFZ-14-E

Socket, DIN rail/surface mounting, 14-pin, screw terminals

Specifications

Applicable product family	LY4
Mounting method	DIN rail/screw
Terminal type	Screw
Product Width (unpacked)	45.5 mm
Product Height (unpacked)	78.5 mm
Product Depth (unpacked)	33 mm
Color	Black
Hold down clip included	✘
Release Lever included	✘
Applicable ferrules	Forked terminals



LY4 100/110VAC

Relay, plug-in, 14-pin,
4PDT, 10 A, 100/110 VAC



LY4 12VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, 12 VDC



LY4 230VAC

Relay, plug-in, 14-pin,
4PDT, 10 A, 230 VAC



LY4 24VAC

Relay, plug-in, 14-pin,
4PDT, 10 A, 24 VAC



LY4 24VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, 24 VDC



LY4 48VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, 48 VDC



LY4-D 24VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, coil
suppression, 24 VDC



LY4I4N 24VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, LED indicator,
test button



LY4N 100/110VAC

Relay, plug-in, 14-pin,
4PDT, 10 A, LED indicator,
100/110 VAC



LY4N 200/220VAC

Relay, plug-in, 14-pin,
4PDT, 10 A, LED indicator,
200/220 VAC



LY4N 24VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, LED indicator,
24 VDC



LY4N-D2 24VDC

Relay, plug-in, 14-pin,
4PDT, 10 A, LED indicator,
coil suppressor, 24 VDC

Accessories



PFP-100N

DIN-rail mounting track, 35 x 7.3 mm, 1 m length



PFP-100N2

DIN-rail mounting track, 35x16mm, 1m length



PFP-50N

Din rail track, 500 mm



PFP-M

End plate



PYC-A1

Retaining clips for LY/MY relay & PTF/PYF_E/N socket



XW5Z-EP6

End bracket for terminal blocks, 6 mm width

Downloads

[CAD Library](#)



**EAC Mark removal
Discontinuation Notice**

EN PDF 221 KB



**LY Series Bi-Power
Relays
Datasheet**

EN PDF 7.98 MB

