

Product datasheet

Specifications



core balance current transformer CSH300 - Sepam series 20,40,60,80 - diam. 300mm

59637

EAN Code: 3303430596370

Main

Range of product	Sepam series 48 Sepam series 80 NPP Sepam series 60 Sepam series 20 Sepam series 80 Sepam series 40
------------------	--

Device short name	CSH300
-------------------	--------

Complementary

Current transformer type	Core balance
--------------------------	--------------

Current transformer ratio	1/470
---------------------------	-------

Permissible current	20 kA during 1 s
---------------------	------------------

Mounting support	Cables Mounting plate
------------------	--------------------------

Width	390 mm
-------	--------

Height	360 mm
--------	--------

Depth	46 mm
-------	-------

Diameter	291 mm inner:
----------	---------------

Net weight	2.5 kg
------------	--------

Environment

Ambient air temperature for operation	-25...70 °C
---------------------------------------	-------------

Ambient air temperature for storage	-40...85 °C
-------------------------------------	-------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	5.500 cm
------------------	----------

Package 1 Width	37.500 cm
-----------------	-----------

Package 1 Length	39.700 cm
------------------	-----------

Package 1 Weight	2.575 kg
------------------	----------

Unit Type of Package 2	BB1
------------------------	-----

Number of Units in Package 2	4
------------------------------	---

Package 2 Height	39.500 cm
------------------	-----------

Package 2 Width	24.000 cm
-----------------	-----------

Package 2 Length	42.000 cm
Package 2 Weight	10.610 kg
Unit Type of Package 3	P12
Number of Units in Package 3	80
Package 3 Height	93.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	220.000 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
--	-----

Packaging without single use plastic	No
--------------------------------------	----

Use Again

Repack and remanufacture

Take-back	No
-----------	----