

Product datasheet

Specifications

END FEED UNIT 160 A

Local distributor code:

389351878

KNA160AB4



EAN Code: 3606480003073

Main

Range of product	Canalis
Product name	KN
Device short name	KNA
Product compatibility	Canalis KNA busbar trunking 160 A
Product or component type	Feed unit
Conductors material	Aluminium
[Ie] rated operational current	160 A
[Ue] rated operational voltage	230...500 V
Number of circuits	1
Busbar trunking polarity	3L + N + PE L + N + PE
Protection type	Without protection
Control type	Without
Colour	White (RAL 9001)

Complementary

Provided equipment	End cover
Mounting location	Left Right
Mounting mode	By clips
Mounting support	Busbar
Connections - terminals	Lug for 95 mm ² flexible Lug for 95 mm ² rigid
Width	356 mm
Depth	130 mm
Height	185 mm
Net weight	2.8 kg
Standards	IEC 61439-6

Environment

IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.000 cm
Package 1 Width	20.000 cm
Package 1 Length	38.000 cm
Package 1 Weight	3.100 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	24
Package 2 Height	85.000 cm
Package 2 Width	62.000 cm
Package 2 Length	92.000 cm
Package 2 Weight	85.000 kg

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

A5d263af-9391-4a5f-a09e-31902cdfb36a

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture


End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins