

# Product datasheet

Specifications



## Climasys CC - electronic hygrotherm - 9 -30V - temp -40... 80°C - Hr 20...80%

Local distributor code:

398242606

NSYCCOHYT30VID

**EAN Code: 3606480152573**

### Main

Range	ClimaSys
Product name	ClimaSys CC
Product or component type	Electronic hygrotherm
Temperature setting range	-40...80 °C
Humidity setting range	20...80 %
Display type	OLED screen
Information displayed	Relative humidity Temperature in °C Temperature in °F

### Complementary

Input voltage	9...30 V AC/DC
Sensor type	Optional NTC external sensor
Maximum switching capacity	4 A 30 V AC/DC
Electrical connection	8 connectors, clamping capacity: 2.5 mm <sup>2</sup>
Mounting mode	Clipped By screws
Height	External: 85 mm
Width	External: 56 mm
Depth	External : 44 mm
Mounting location	On mounting plate 35 mm DIN rail Cross rails Spacial upright
Ambient air temperature for operation	-40...80 °C
Hysteresis	2 K programmed value
Hysteresis	3 %
Number of outputs	2 ventilation/heating function
Material	PC
Colour	Light grey
Flame retardance	Self-extinguishing conforming to UL94 (material V0)
Product certifications	UR

### Packing Units

---

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.500 cm
Package 1 Width	7.500 cm
Package 1 Length	8.500 cm
Package 1 Weight	140.000 g

---

## Logistical informations

---

Country of origin CN

## Contractual warranty

---

Warranty (in months) 18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

SCIP Number

3452f1a3-f13d-4adf-84ba-2572bcc8e35c

REACH Regulation

[REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins