

Product datasheet

Specifications



Forta electro mechanical actuator M800 for globe valve

8800310030

EAN Code: 7332552013195

Main

Actuator product range	SpaceLogic
Product or component type	Actuator
Actuator type	Electric
Actuator product series	M800
Actuator model	M800
Product destination	globe valve
Actuator	Linear
Motor type	Brushless DC motor
Control type	Automatic reset
Switch function	2 SPDT (optional)
rated supply voltage	24 V AC/DC
Analogue input range	0...10 V DC
Feedback signal	2...10 V DC
Transformer rated power in VA	50 VA
Power consumption in VA	10 VA AC
Hold-in power consumption in VA	10 VA AC
Power loss return	Non-spring return
Control signal	Proportional/modulating Floating
Stroke length	9...52 mm
Stroke auto calibration	True
Electrical insulation class	Class II
Force N	800 N
Force lbf	179 lbf
Position indicator	Stroke indicator on bracket
Conduit connection	Gland for 6-12 mm O/D cable
Leads and connections	Terminal block
Stroke running time	15 s 20 s
IP degree of protection	IP54
Material	Aluminium: housing ABS/PC: cover

Duty cycle	20 %
Ambient air temperature for operation	-10...50 °C
Relative humidity	0...90 % RH, non-condensing
Ambient air temperature for storage	-10...50 °C
Targeted region	Europe Asia Pacific. Australia.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.000 cm
Package 1 Width	26.000 cm
Package 1 Length	18.000 cm
Package 1 Weight	1.886 g

Logistical informations

Country of origin	SE
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 230

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant with Exemptions

SCIP Number 4f394b28-50f5-47f5-b920-ba35e4bef3da

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No

WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

