

# Product datasheet

Specifications

## Cost-effective LED Lamps - 120/230 V AC - 10W



NSYLAMT5LD2

EAN Code: 3606481190383

### Main

Range of product	Lighting and power sockets
Accessory / separate part category	Lighting accessory
Product or component type	Lamp
Device application	Multi-purpose
Device composition	1 lamp 1 fixing elements 2 cable
Power factor	0.9

### Complementary

Outlet standard deviation	Without socket
Rated lamp wattage	10 W
[Ue] rated operational voltage	120/230 V AC 50/60 Hz
Bulb base	Integral LED
Bulb type	LED
Control type	Built-it switch
Luminous flux	1100 lm
Colour temperature	4000 K
Service life in hours	25000 h
Electrical connection	Cable quick connector 3 m supplied Cable quick connector 1 m supplied
Mounting support	Cross rails Metal parts
fixing mode	Screws Magnetic fixing
Range compatibility	Spacial PanelSeT
Length	560 mm
Height	30.5 mm
Colour	Aluminium

### Environment

IP degree of protection	IP20 conforming to IEC 60529
Electrical insulation class	Class I

<b>Standards</b>	IEC 60598
<b>Ambient air temperature for operation</b>	-10...60 °C
<b>Ambient air temperature for storage</b>	-16...65 °C

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	6.000 cm
<b>Package 1 Width</b>	60.000 cm
<b>Package 1 Length</b>	6.000 cm
<b>Package 1 Weight</b>	710.000 g
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	20
<b>Package 2 Height</b>	32.000 cm
<b>Package 2 Width</b>	62.000 cm
<b>Package 2 Length</b>	27.000 cm
<b>Package 2 Weight</b>	14.200 kg
<b>Unit Type of Package 3</b>	PAM
<b>Number of Units in Package 3</b>	500
<b>Package 3 Height</b>	204.000 cm
<b>Package 3 Width</b>	100.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	372.000 kg

## Logistical informations

<b>Country of origin</b>	CN
--------------------------	----

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint **59**

Environmental Disclosure [Product Environmental Profile](#)

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

REACH Regulation [REACH Declaration](#)

### Use Again

#### Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**

Image of product / Alternate images

Alternative

---

