



## PRODUCT-DETAILS

**ZAF185****ZAF185 100-250V Operating Coil****General Information**

Extended Product Type	ZAF185
Product ID	1SFN154770R7006
EAN	7320500222492
Catalog Description	ZAF185 100-250V Operating Coil
Long Description	a.c. / d.c. operated wide range contactor coil with electronic interface

**Ordering**

Minimum Order Quantity	1 piece
Customs Tariff Number	85045095

**Popular Downloads**

Data Sheet, Technical Information	1SBC100214C0201
Instructions and Manuals	1SFC380003-89

---

**Dimensions**

Product Net Width	105 mm
Product Net Depth / Length	40 mm
Product Net Height	60 mm
Product Net Weight	0.225 kg

---



---

**Technical**

Terminal Type	Screw Terminals
Suitable For	AF145 AF185
Suitable for Product Class	Block Contactors
Product Name	Operating Coil

---



---

**Material Compliance**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Declaration	2CMT2021-006277
RoHS Information	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

**ABB EcoSolutions**

Environmental Product Declaration - EPD	No declaration needed
---	-----------------------

---



---

**Certificates and Declarations**

Declaration of Conformity - CE	2CMT005309
Declaration of Conformity - UKCA	2CMT2020-006120

---



---

**Container Information**

Package Level 1 Units	box 1 piece
Package Level 1 Width	113 mm
Package Level 1 Depth / Length	65 mm
Package Level 1 Height	92 mm
Package Level 1 Gross Weight	0.27 kg
Package Level 1 EAN	7320500222492

---



---

**External Classifications and Standards**

Object Classification Code	M
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
UNSPSC	39121010
IDEA Granular Category Code (IGCC)	4144 >> Coil for low-voltage
E-Number (Finland)	3709340
E-Number (Norway)	3229132

---

## Categories

---

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

