

Product datasheet

Specifications



"Wall mounted steel enclosure,
PanelSeT S3D, plain door, without
mounting plate, 400x600x250mm,
IP66, IK10"

Local distributor code:
392866169

NSYS3D4625

EAN Code: 3606480159510

Main

| | |
|-----------------------------|---|
| Range | PanelSeT |
| Product name | PanelSeT S3D |
| Application | Multi-purpose |
| Category | Compact enclosure |
| Enclosure nominal height | 400 mm |
| Enclosure nominal width | 600 mm |
| Enclosure nominal depth | 250 mm |
| Door type | Plain |
| Mounting plate description | Without mounting plate |
| Type of gland plate | Standard |
| Installation accessory type | Wall-mounting |
| Device composition | 1 body 1 door 1 lock 1 cable gland plate |

Complementary

| | |
|-----------------------------|--|
| body type | Single piece body Gutter-shaped front rail double sheet thickness |
| Number of doors | Front face: 1 door(s) |
| Door opening side | Reversible (120 °) |
| Lock type | 3 points lock, 3 mm double-bar |
| Accessibility for operation | Front |
| Removable parts | Door by hinges Cable gland plate by screws |
| Material | Steel |
| Surface finish | Epoxy-polyester powder |
| Colour | Grey (RAL 7035) |
| Standards | IEC 62208 UL CUL |
| Product certifications | BV DNV cUL GL UL |

| | |
|------------|-------|
| Net weight | 12 kg |
|------------|-------|

Environment

| | |
|---------------------------|------------|
| NEMA degree of protection | NEMA 4X/13 |
|---------------------------|------------|

| | |
|-------------------------|------------------------------|
| IK degree of protection | IK10 conforming to IEC 62262 |
|-------------------------|------------------------------|

| | |
|-------------------------|------------------------------|
| IP degree of protection | IP66 conforming to IEC 60529 |
|-------------------------|------------------------------|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

| | |
|------------------|-----------|
| Package 1 Height | 30.000 cm |
|------------------|-----------|

| | |
|-----------------|-----------|
| Package 1 Width | 41.500 cm |
|-----------------|-----------|

| | |
|------------------|-----------|
| Package 1 Length | 61.000 cm |
|------------------|-----------|

| | |
|------------------|-----------|
| Package 1 Weight | 11.500 kg |
|------------------|-----------|

| | |
|------------------------|-----|
| Unit Type of Package 2 | PAM |
|------------------------|-----|

| | |
|------------------------------|----|
| Number of Units in Package 2 | 27 |
|------------------------------|----|

| | |
|------------------|------------|
| Package 2 Height | 200.000 cm |
|------------------|------------|

| | |
|-----------------|------------|
| Package 2 Width | 100.000 cm |
|-----------------|------------|

| | |
|------------------|------------|
| Package 2 Length | 120.000 cm |
|------------------|------------|

| | |
|------------------|------------|
| Package 2 Weight | 330.000 kg |
|------------------|------------|

Logistical informations

| | |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 108

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number E893f0a0-d2cc-4011-9425-3873dde70142

REACH Regulation [REACH Declaration](#)

Use Again


Repack and remanufacture

End of life manual availability No need of specific recycling operations

Take-back No

Technical Illustration

Dimensions



Offer Marketing Illustration

Product benefits / Features

Sturdy components' protection

Earthing studs included

Large choice of dimensions & accessories

Quality & aesthetics

Easy to equip
Easy to maintain

Reusable eco-friendly packaging