


Product datasheet

Specifications

contact : 1AC PF ready to close



47080

EAN Code: 3303430470809

Main

Product or component type	Auxiliary contact
Device short name	ready to close contact
Range compatibility	Masterpact MasterPact NT EasyPact EasyPact MVS Masterpact MasterPact NW EasyPact EasyPact EXE

Complementary

Auxiliary contacts type	Standard
Breaking capacity (A)	5 A at 240 V
Minimum load	100 mA at 24 V
Accessory / separate part category	Spare parts for MasterPact NT Spare parts for MasterPact NW

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.800 cm
Package 1 Width	7.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	21.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	13.000 cm
Package 2 Width	13.000 cm
Package 2 Length	19.000 cm
Package 2 Weight	518.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	160
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.636 kg

Logistical informations

Country of origin TH

Contractual warranty

Warranty (in months) 18


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free plastic parts product

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins