

# Product datasheet

Specifications

## Multi-fixing LED lamp without socket - 230 V AC - 10W



NSYLAML

EAN Code: 3606481203083

### Main

Range of product	Lighting and power sockets
Accessory / separate part category	Lighting accessory
Product or component type	Lamp
Device application	Multi-purpose
Device composition	1 lamp 1 fixing elements
Power factor	0.9

### Complementary

Outlet standard deviation	Without socket
Rated lamp wattage	10 W
[Ue] rated operational voltage	120/230 V AC 50/60 Hz
Bulb base	Integral LED
Bulb type	LED
Control type	Built-in switch
Luminous flux	950 lm
Colour temperature	4000 K
Service life in hours	25000 h
Electrical connection	Cable quick connector 3 m not supplied Cable quick connector 1 m not supplied
Mounting support	Bracket DIN rail Metal parts
fixing mode	Magnetic fixing Screws Clip-in
Range compatibility	Spacial PanelSeT
Material	PC (UL94 V-0)
Length	372 mm
Height	63 mm
Width	40 mm
Colour	Black (RAL 9005)

### Environment

<b>IP degree of protection</b>	IP20 conforming to IEC 60529
<b>Electrical insulation class</b>	Class II
<b>Electromagnetic compatibility</b>	EMC immunity conforming to EN 55015
<b>Standards</b>	UL 8750 UL 94 IEC 60598 UL 1598 UL 508 A EN 55015
<b>Ambient air temperature for operation</b>	-16...65 °C
<b>Ambient air temperature for storage</b>	-10...60 °C

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	6.000 cm
<b>Package 1 Width</b>	40.000 cm
<b>Package 1 Length</b>	8.000 cm
<b>Package 1 Weight</b>	795.000 g
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	10
<b>Package 2 Height</b>	32.000 cm
<b>Package 2 Width</b>	18.000 cm
<b>Package 2 Length</b>	42.000 cm
<b>Package 2 Weight</b>	7.950 kg
<b>Unit Type of Package 3</b>	PAM
<b>Number of Units in Package 3</b>	590
<b>Package 3 Height</b>	178.000 cm
<b>Package 3 Width</b>	100.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	490.000 kg

## Logistical informations

<b>Country of origin</b>	CN
--------------------------	----

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label


 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---



