



standard mounting rail, 35x 27x 7.3x 1.0 mm 2000 mm long, not perforated  
sendzimir coated



Model	
product brand name	SETRON
product designation	DIN rail
type of hole	without
General technical data	
surface processing	sendzimir-coated
profile height	7.3 mm
product feature perforated	No
Accessories	
accessories	mounting rail DIN EN 50022
Mechanical Design	
height	7.3 mm
width	35 mm
product specification for dimensions	DIN EN 60715:2018-07
length	2 000 mm
Net Weight	710 g
material	steel
material thickness	1 mm

**Approvals Certificates**

General Product Approval	other	Environment
<a href="#">Confirmation</a>	<a href="#">Confirmation</a>	<a href="#">Environmental Confirmations</a>
<a href="#">Miscellaneous</a>		

**Environment**

[Environmental Confirmations](#)

**Further information**

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
 Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
 Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST1141>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5ST1141>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST1141](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST1141)

**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

---

last modified:

5/24/2025 

