

# Product datasheet

Specifications



## END FEED BOX 1000 A RIGHT SIDE

Local distributor code:  
2225553

KSA1000ABD4

EAN Code: 3606480003462

### Main

Range of product	Canalis
Product name	KS
Device short name	KSA
Product compatibility	Canalis KSA busbar trunking 500...1000 A
Offer type	Classic Rising main
Product or component type	Feed unit
Conductors material	Aluminium
[Ie] rated operational current	1000 A
[Ue] rated operational voltage	230...690 V
Number of circuits	1
Busbar trunking polarity	3L + N + PE
Protection type	Without protection
Control type	Without
Colour	White (RAL 9001)

### Complementary

Provided equipment	End cover
Mounting location	Right Left
Mounting mode	By screws
Mounting support	Busbar
Body material	Metal
Connections - terminals	Lug for 240 mm <sup>2</sup> flexible Lug for 300 mm <sup>2</sup> rigid
Width	753 mm
Depth	370 mm
Height	457 mm
Net weight	25 kg
Standards	IEC 61439-1 IEC 61439-6

### Environment

---

<b>IP degree of protection</b>	IP55 conforming to IEC 60529
--------------------------------	------------------------------

---

<b>IK degree of protection</b>	IK08 conforming to IEC 62262
--------------------------------	------------------------------

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

---

<b>Number of Units in Package 1</b>	1
-------------------------------------	---

---

<b>Package 1 Height</b>	40.500 cm
-------------------------	-----------

---

<b>Package 1 Width</b>	53.000 cm
------------------------	-----------

---

<b>Package 1 Length</b>	78.000 cm
-------------------------	-----------

---

<b>Package 1 Weight</b>	30.600 kg
-------------------------	-----------

---

## Contractual warranty

---

<b>Warranty (in months)</b>	18
-----------------------------	----

---


## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
<a href="#">EU RoHS Directive</a>	Compliant
REACH Regulation	<a href="#">REACH Declaration</a>
Halogen-free status	Halogen free product
PVC free	Yes
Silicone-free	Yes

### Use Again

 <b>Repack and remanufacture</b>	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Dimensions Drawings

Dimensions

---

