

# Product datasheet

Specifications



## Mounting Plate Vert. Fixed/Withd. MTZ2/NW 3P/4P W650 PrismaSeT P

LVS03500

**EAN Code: 3606481874610**

### Main

<b>Range</b>	PrismaSeT
<b>Range of product</b>	PrismaSeT P
<b>Product or component type</b>	Mounting plate
<b>Accessory / separate part category</b>	Installation accessory
<b>Range compatibility</b>	PrismaSeT PrismaSeT P cubicle
<b>installation description</b>	Cubicle - width 650 mm depth 600 mm Cubicle - width 650 mm depth 1000 mm
<b>Installed device</b>	Masterpact: drawout NW08...16 - control: toggle - vertical installation Masterpact: fixed NW08...16 - control: toggle - vertical installation Masterpact: drawout NW20...25 - control: toggle - vertical installation Masterpact: fixed NW20...25 - control: toggle - vertical installation Masterpact: drawout NW32 - control: toggle - vertical installation Masterpact: fixed NW32 - control: toggle - vertical installation
<b>Poles description</b>	1 x 3P: drawout NW08...16 vertical installation 1 x 3P: fixed NW08...16 vertical installation 1 x 4P: drawout NW08...16 vertical installation 1 x 4P: fixed NW08...16 vertical installation 1 x 3P: drawout NW20...25 vertical installation 1 x 3P: fixed NW20...25 vertical installation 1 x 4P: drawout NW20...25 vertical installation 1 x 4P: fixed NW20...25 vertical installation 1 x 3P: drawout NW32 vertical installation 1 x 3P: fixed NW32 vertical installation 1 x 4P: drawout NW32 vertical installation 1 x 4P: fixed NW32 vertical installation
<b>Number of vertical modules [50 mm]</b>	36 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle 27 module(s): NW08...16, front connection on Canalis in 650 mm Widecubicle 15 module(s): NW08...16, rear connection on adaptor in 650 mm Widecubicle 19 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle 17 module(s): NW08...16, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW08...16, front connection on busbar in 650 mm Widecubicle 18 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle 14 module(s): NW08...16, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NW08...16, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle 15 module(s): NW20...25, rear connection on adaptor in 650 mm Widecubicle 20 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle 28 module(s): NW20...25, front connection on Canalis in 650 mm Widecubicle 17 module(s): NW20...25, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW20...25, front connection on busbar in 650 mm Widecubicle 19 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle 14 module(s): NW20...25, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NW20...25, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW32, front connection on adaptor in 650 mm Widecubicle 15 module(s): NW32, rear connection on adaptor in 650 mm Widecubicle 20 module(s): NW32, front connection on adaptor in 650 mm Widecubicle 28 module(s): NW32, front connection on Canalis in 650 mm Widecubicle 17 module(s): NW32, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW32, front connection on busbar in 650 mm Widecubicle 19 module(s): NW32, front connection on adaptor in 650 mm Widecubicle 14 module(s): NW32, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NW32, rear connection on Canalis in 650 mm Widecubicle

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

<b>Standards</b>	IEC 61439-2
<b>Product certifications</b>	ASTA

## Complementary

<b>Material</b>	Sheet steel
<b>Protective treatment</b>	Electrophoresis treatment and hot-polymerised polyester epoxy powder
<b>Surface finish</b>	Matt Textured
<b>Colour</b>	White (RAL 9003)
<b>Width</b>	650 mm
<b>Height</b>	30 mm
<b>Net weight</b>	3.82 kg



---

650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 rear connection on adaptor 14 437.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 rear connection on Canalis 16 787.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front connection on busbar 36 1037.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on adaptor 36 1087.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 rear connection on adaptor 15 487.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on adaptor 20 737.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 rear connection on Canalis 17 837.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on busbar 36 1087.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front connection on adaptor 19 687.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 rear connection on adaptor 14 437.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 rear connection on Canalis 16 787.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front connection on busbar 36 1037.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on adaptor 36 1087.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 rear connection on adaptor 15 487.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on adaptor 20 737.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 rear connection on Canalis 17 837.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on busbar 36 1087.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front connection on adaptor 19 687.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 rear connection on adaptor 14 437.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 rear connection on Canalis 16 787.5 mm  
650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front connection on busbar 36 1037.5 mm

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	20.500 cm
Package 1 Length	57.000 cm
Package 1 Weight	3.779 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	29.000 cm
Package 2 Width	40.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	23.540 kg
Unit Type of Package 3	P12
Number of Units in Package 3	72
Package 3 Height	102.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	286.088 kg

## Logistical informations

Country of origin	FR
-------------------	----

## Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

## Use Again

### Repack and remanufacture

End of life manual availability

No need of specific recycling operations


Take-back

No

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in  
- Also see technical documentation.