

Product datasheet

Specifications

PLAIN FRONT PLATE W600/W650 3M



LVS03803

EAN Code: 3606481873767

Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Type of front plate	Plain
Installed device	TeSys: fixed D or K contactors <= 40 A - horizontal installation
Poles description	9 x 4P: modular rail support: D or K contactors <= 40 A horizontal installation

Complementary

Enclosure/cubicle description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 555 mm
Connection position	Direct connection
Number of vertical modules [50 mm]	3
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Steel
Surface finish	Textured Matt
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	150 mm
Width	500 mm
Net weight	0.68 kg
Quantity per set	Set of 1
functional unit	600 mm PrismaSeT G floor-standing enclosure TeSys D or K contactors <= 40 A fixed horizontal 4P 9 direct 3 600 mm PrismaSeT G wall-mounted enclosure TeSys D or K contactors <= 40 A fixed horizontal 4P 9 direct 3 650 mm 400 mm PrismaSeT P cubicle TeSys D or K contactors <= 40 A fixed horizontal 4P 9 direct 3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	16.400 cm
Package 1 Length	51.000 cm
Package 1 Weight	671.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	16.500 cm
Package 2 Width	17.500 cm
Package 2 Length	52.500 cm
Package 2 Weight	6.900 kg
Unit Type of Package 3	P12
Number of Units in Package 3	450
Package 3 Height	96.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	315.950 kg

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability


No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions



- All dimensions are approximate and are in
- Also see technical documentation.