

Product datasheet

Specifications



"Floor standing modular electrical enclosure, PanelSeT SFN, decarbonized steel, 2000x400x600mm, IP55"

NSYSFN20460

EAN Code: 3606486103111

Main

Range	PanelSeT
Extended range	PanelSeT SFN
Application	Multi-purpose
Product or component type	Suitable enclosure
Enclosure nominal height	2000 mm
Enclosure nominal width	400 mm
Enclosure nominal depth	600 mm
Enclosure mounting	Floor-standing
Device composition	1 roof 1 rear panel 1 locking system with handle: door 1 door 1 structure

Complementary

Structure type	Perforated structure with a pitch of 25 mm Formed from a single section Vertical uprights joined with top and bottom frames Panels and doors built into the structure
Door opening side	Reversible (120 °)
Door type	Plain front
Mounting plate description	Without mounting plate
Type of gland plate	Without gland plate
Lock type	4 points lock, handle with 5 mm double bar insert front door
Number of doors	Front: 1 door(s)
Accessibility for operation	Rear Front Sides of enclosure
Removable parts	Door by screws hinge Rear panel by screws Roof by screws
Material	Frame: galvanised steel Uprights: galvanised steel Door: sheet steel Panels: sheet steel Hinge: zamak Handle: polyamide 6 with 30 % fibre glass
Surface finish	Epoxy-polyester powder

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Colour	Enclosure: grey (RAL 7035) Handle: black (RAL 9005)
---------------	--

Net weight	56.5 kg
-------------------	---------

Environment

Standards	IEC 62208 UL CUL
------------------	------------------------

NEMA degree of protection	NEMA 3R/12
----------------------------------	------------

IP degree of protection	IP55 conforming to IEC 60529
--------------------------------	------------------------------

IK degree of protection	IK10 conforming to IEC 62262
--------------------------------	------------------------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	213.000 cm
-------------------------	------------

Package 1 Width	75.000 cm
------------------------	-----------

Package 1 Length	49.000 cm
-------------------------	-----------

Package 1 Weight	66.100 kg
-------------------------	-----------

Unit Type of Package 2	PAL
-------------------------------	-----

Number of Units in Package 2	2
-------------------------------------	---

Package 2 Height	213.000 cm
-------------------------	------------

Package 2 Width	75.000 cm
------------------------	-----------

Package 2 Length	98.000 cm
-------------------------	-----------

Package 2 Weight	132.200 kg
-------------------------	------------

Logistical informations

Country of origin	FR
--------------------------	----

Contractual warranty

Warranty (in months)	18
-----------------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 350

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Average percentage of recycled metal content 45 %

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number 695ecfbd-bb51-4da6-80d3-6b38e7bcfee6

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No

Technical Illustration

Dimensions



Offer Marketing Illustration

Product benefits / Features



Sturdy component protection

Decarbonized steel & sustainable packaging

Large choice of dimensions, models & accessories

Quality & aesthetics

Easy to equip
Easy to maintain

Available in kit, mounted or customized

Technical Illustration

Exploded view



Technical illustration

Product Installation



Technical illustration

Product Installation



Technical illustration

Product Installation



Technical illustration

Product Installation



Technical illustration

Product Installation




Technical illustration

Product Installation



Image of product / Alternate images

Alternative







Offer Marketing Illustration

Packaging

