



PRODUCT-DETAILS

S4X 250 1000V PR212-LSI-In=250A 3p F F

S4X 250 1000V PR212-LSI-In=250A 3p F F



General Information

Extended Product Type	S4X 250 1000V PR212-LSI-In=250A 3p F F
Product ID	1SDA050464R1
EAN	8015644506216
Catalog Description	S4X 250 1000V PR212-LSI-In=250A 3p F F
Long Description	CURRENT-LIMITING C.BREAKER ISOMAX S4X 250 1000V THREE-POLE FIXED WITH FRONT TERMINALS AND SOLID-STATE RELEASE IN AC PR 212 LSI R 250

Material Compliance

RoHS Declaration	1SDL000194R0001
RoHS Information	No declaration needed

Environmental

Environmental Information	1SDL000144R0
---------------------------	--------------

Ordering

EAN	8015644506216
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	248 mm
Product Net Height	240 mm
Product Net Depth / Length	0.1035 m
Product Net Weight	5 kg
Gross Weight	9.8 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	240 mm
Package Level 1 Depth / Length	248 mm
Package Level 1 Gross Weight	9.8 kg
Package Level 1 EAN	8015644506216

Additional Information

Product Main Type	SACE Isomax
Product Name	Moulded Case Circuit Breaker
Suitable For	Isomax S4
Suitable for Product Class	Isomax
Version	Fixed

Technical

Number of Poles	3P
Power Loss	60 W
Rated Current (I _n)	250 A
Rated Operational Voltage	690 V AC
Release Type	PR212/P-LSI
Short-Circuit Performance Level	X
Standards	IEC947-2
Sub-type	S4
Terminal Connection Type	Front
Test Voltage at Industrial Frequency for 1 Minute	3000 V

Certificates and Declarations

Data Sheet, Technical	ITSCE-604050012
-----------------------	-----------------

Information

Declaration of Conformity - CE	1SDL000160R0029
Instructions and Manuals	ITSCE-605071014

External Classifications and Standards

Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Isomax
Low Voltage Products and Systems → Service → Replacement → Replacement of Non Active Products

